



## Thule Rapid System Kit 1264

# > Instructions

TOYOTA Corolla, 3-dr Hatchback, 02-04, 05-06

The diagram illustrates the installation process and weight limits for the Thule Rapid System Kit 1264. It is divided into several sections:

- Top Left:** A dashed box containing an information icon (i), a warning sign, an icon of a person reading instructions, and two instruction manuals labeled 'B' and 'A'. An arrow points from manual 'B' to manual 'A', which shows a Thule Rapid System 754 component.
- Top Right:** A weight calculation table showing the maximum weight capacity for the system.
- Bottom Left:** A dashed box containing a warning sign, three instruction manuals labeled 'A', 'B', and 'C', and an icon of a person reading instructions.
- Bottom Right:** A diagram of a car with arrows indicating the placement of the system on the roof. A speedometer icon shows speed limits: 40 km/h (25 Mph) and 80 km/h (50 Mph) for the system, and 130 km/h (80 Mph) for the car.

	xx kg	xx lbs	+		7 kg	15,4 lbs
					3 kg	6,6 lbs
=	<b>Max.</b>	<b>40 kg</b>		<b>Max.</b>	<b>88 lbs</b>	

ISO 11154-E


141264  
C.20140617  
519-1264-02

Bring your life  
thule.com




373 x4

04 x2



06 x2





x1



x1

1


	X (scale)	X (mm)	X (inch)
<b>TOYOTA Corolla</b> , 3-dr Hatchback, 02-04, 05-06	<b>31,5</b>	<b>966</b>	<b>38</b>





	Y (scale)	Y (mm)	Y (inch)
<b>TOYOTA Corolla</b> , 3-dr Hatchback, 02-04, 05-06	<b>34,5</b>	<b>996</b>	<b>39 1/4</b>

2


SRA



TOYOTA Corolla, 3-dr Hatchback, 02-04, 05-06



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
<b>TOYOTA Corolla, 3-dr Hatchback, 02-04, 05-06</b>	<b>280</b>	<b>700</b>	<b>355</b>	<b>11</b>	<b>27 1/2</b>	<b>14</b>

